



# Deck Worksheet

All exterior deck construction shall be of treated material or engineered wood product designed specifically for exterior application. Deck construction materials shall be termite resistant where required per ASTM D7032 (R507.3.3) Decks shall be designed for a minimum of 40lb square foot load. Where supported by attachment to an exterior wall, decks shall be positively anchored to the primary structure and designed for both vertical and lateral loads.

Guards

R312.1.1 Guards shall be located along open-sided walking surfaces of all decks, porches, balconies, stairs, ramps and landings that are located more than 30 inches (762 mm) in height measured vertically to the floor or grade below and at any point where a downward slope exceeds 3V:12H within 36 inches (914 mm) horizontally to the edge of the open side. Insect screening shall not be considered as a guard.

R312.1.2 Height. Required guards at open-sided walking surfaces, including stairs, porches, balconies or landings, shall be not less than 36 inches (914 mm) in height as measured vertically above the adjacent walking surface or the line connecting the leading edges of the treads.

Pickets

R312.1.3 Opening limitations. Required guards shall not have openings from the walking surface to the required guard height that allow passage of a sphere 4 inches in diameter.

Deck Post Height (measured to the underside of the beam) Table R507.8 2015 IRC	
4 x 4 post	8' maximum height
4 x 6 post	8' maximum height
6 x 6 post	14' maximum height

Post are required to be in concrete or approved anchoring device on a concrete footing. Footings must be a minimum of 12" below undisturbed soil with a minimum width of 12" and a minimum thickness of 6" of concrete. (Typically 12" x 12" x 6" thick)

Post size \_\_\_\_\_

Guards and Pickets \_\_\_\_\_

Distance from grade \_\_\_\_\_

Joist size and type \_\_\_\_\_ Joist span \_\_\_\_\_

Beam size and type \_\_\_\_\_ Beam span \_\_\_\_\_

**Deck Plans shall be submitted with this detail page. They can be hand-drawn.**

*Any information provided on this document may be subject to the South Carolina Freedom of Information Act and may be disclosed to third parties in accordance with applicable law.*